


WING NUT WITH THROUGH HOLE

Brass wing nut with threaded hole.

	Thread MA	A mm	B mm	C mm	Ø mm
750195	M5	34	14	18	7
750196	M6	34	14	18	7
750198	M8	48	17	20	9

Note: on request we can supply, for appropriate quantities, different colours and with custom cut inserts made of stainless steel and brass.



STAR KNOB

Star knob with brass insert	Star knob with bolt	Thread MA	Pivot length mm	Ø head mm
750105	750165	M5	25	25
750106	750166	M6	35	30
750108	750168	M8	35	30
750110	750170	M10	60	60
750112	750172	M12	60	60



STAINLESS STEEL HINGES

90° ANGLE BRACKET S.S. AISI 316

STAINLESS STEEL AISI 316 angle bracket with 4 holes.

	Length mm	Width mm
143183	31	12
143184	46	13
143186	61	15



90° ANGLE BRACKET S.S. AISI 316

STAINLESS STEEL AISI 316 angle bracket with 6 holes.

	Length mm	Width mm
143194	41	25
143195	56	35
143198	80	50



STAINLESS STEEL HINGE

Technical features

Length	68 mm
Width	45 mm
Hole diameter	5 mm
Thickness	1,5 mm

143210 STAINLESS STEEL AISI 316 hinge.



STAINLESS STEEL HINGE

Technical features

Length	104 mm
Width	45 mm
Hole diameter	5 mm
Thickness	1,5 mm

143215 STAINLESS STEEL AISI 316 hinge.



STAINLESS STEEL HINGE

Technical features

Length	45 mm
Width	45 mm
Hole diameter	5 mm
Thickness	1,5 mm

143220 STAINLESS STEEL AISI 316 hinge.



	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">56 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">45 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,5 mm</td></tr> </table> <p>143225 STAINLESS STEEL AISI 316 hinge.</p>	Length	56 mm	Width	45 mm	Hole diameter	5 mm	Thickness	1,5 mm
Length	56 mm								
Width	45 mm								
Hole diameter	5 mm								
Thickness	1,5 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">86 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">46 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,5 mm</td></tr> </table> <p>143230 STAINLESS STEEL AISI 316 hinge.</p>	Length	86 mm	Width	46 mm	Hole diameter	5 mm	Thickness	1,5 mm
Length	86 mm								
Width	46 mm								
Hole diameter	5 mm								
Thickness	1,5 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">75 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">45 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,5 mm</td></tr> </table> <p>143235 STAINLESS STEEL AISI 316 hinge.</p>	Length	75 mm	Width	45 mm	Hole diameter	5 mm	Thickness	1,5 mm
Length	75 mm								
Width	45 mm								
Hole diameter	5 mm								
Thickness	1,5 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">60 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">32 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,2 mm</td></tr> </table> <p>143240 STAINLESS STEEL AISI 316 hinge.</p>	Length	60 mm	Width	32 mm	Hole diameter	5 mm	Thickness	1,2 mm
Length	60 mm								
Width	32 mm								
Hole diameter	5 mm								
Thickness	1,2 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">103 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">32 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,2 mm</td></tr> </table> <p>143250 STAINLESS STEEL AISI 316 hinge.</p>	Length	103 mm	Width	32 mm	Hole diameter	5 mm	Thickness	1,2 mm
Length	103 mm								
Width	32 mm								
Hole diameter	5 mm								
Thickness	1,2 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">104 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">31 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,5 mm</td></tr> </table> <p>143253 STAINLESS STEEL AISI 316 hinge.</p>	Length	104 mm	Width	31 mm	Hole diameter	5 mm	Thickness	1,5 mm
Length	104 mm								
Width	31 mm								
Hole diameter	5 mm								
Thickness	1,5 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">145 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">32 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">5 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,2 mm</td></tr> </table> <p>143255 STAINLESS STEEL AISI 316 hinge.</p>	Length	145 mm	Width	32 mm	Hole diameter	5 mm	Thickness	1,2 mm
Length	145 mm								
Width	32 mm								
Hole diameter	5 mm								
Thickness	1,2 mm								
	<p>STAINLESS STEEL HINGE</p> <p>Technical features</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td style="text-align: right;">36 mm</td></tr> <tr><td>Width</td><td style="text-align: right;">37 mm</td></tr> <tr><td>Hole diameter</td><td style="text-align: right;">4 mm</td></tr> <tr><td>Thickness</td><td style="text-align: right;">1,8 mm</td></tr> </table> <p>143260 STAINLESS STEEL AISI 316 hinge.</p>	Length	36 mm	Width	37 mm	Hole diameter	4 mm	Thickness	1,8 mm
Length	36 mm								
Width	37 mm								
Hole diameter	4 mm								
Thickness	1,8 mm								

STAINLESS STEEL HINGE
STAINLESS STEEL AISI 316 mirror polished flush mount hinge.

Technical features	
Length	40 mm
Width	30 mm
Hole diameter	4 mm
Pin thickness	6,30 mm
Thickness	1,5 mm



143262



143263

Reverse barrel	Raised barrel
143262	143263

STAINLESS STEEL HINGE

Technical features	
Length	48 mm
Width	40 mm
Hole diameter	4 mm
Thickness	2 mm



143265 STAINLESS STEEL AISI 316 hinge.

STAINLESS STEEL HINGE

Technical features	
Length	40 mm
Width	40 mm
Thickness	2 mm
Pin thickness	9,5 mm



143267 STAINLESS STEEL AISI 316 hinge with raised barrel.

STAINLESS STEEL HINGE

Technical features	
Length	40 mm
Width	40 mm
Thickness	2 mm
Pin thickness	9 mm



143268 STAINLESS STEEL AISI 316 hinge with reverse barrel.

STAINLESS STEEL HINGE

Technical features	
Length	41 mm
Width	60 mm
Hole diameter	4 mm
Thickness	1,5 mm



143270 STAINLESS STEEL AISI 316 hinge.

STAINLESS STEEL HINGE

Technical features	
Length	60 mm
Width	40 mm
Hole diameter	5 mm
Thickness	1,8 mm



143275 STAINLESS STEEL AISI 316 hinge.

STAINLESS STEEL HINGE

Technical features	
Length	60 mm
Width	40 mm
Thickness	2 mm
Pin thickness	9 mm



143278 STAINLESS STEEL AISI 316 hinge with reverse barrel.



STAINLESS STEEL HINGE

STAINLESS STEEL AISI 316 embossed hinge.

	Length mm	Width mm	Hole diameter mm	Thickness mm	Overhang mm
143280	48	37	4	1,5	10
143282	66	40	6	2	20



NEW

STAINLESS STEEL HINGE

Technical features

Length	38 mm
Width	46 mm
Thickness	2 mm

143283 STAINLESS STEEL AISI 316 embossed hinge.



STAINLESS STEEL HINGE

Technical features

Length	64 mm
Width	37 mm
Hole diameter	4 mm
Thickness	1,5 mm

143285 STAINLESS STEEL AISI 316 hinge.



STAINLESS STEEL HINGE

Technical features

Length	74 mm
Width	60 mm
Thickness	2 mm
Pin thickness	9 mm

143286 STAINLESS STEEL hinge with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	74 mm
Width	75 mm
Thickness	2 mm
Pin thickness	9 mm

143287 STAINLESS STEEL hinge with raised barrel.



LATCH-PADLOCK HOLDER

Technical features

Length	51 mm
Width	23 mm
Hole diameter	5 mm
Thickness	1,4 mm

143290 STAINLESS STEEL AISI 316 latch with padlock holder.



STAINLESS SEEL LATCH WITH PADLOCK HOLDER

STAINLESS STEEL 316 latch with lock and padlock holder.

Technical features

Hole diameter	5 mm
Thickness	1,2 mm

	Length mm	Width mm
143292	70	28
143293	94	28

LATCH-PADLOCK HOLDER

Technical features

Length	103 mm
Width	32 mm
Hole diameter	5 mm
Thickness	1,2 mm
Pin thickness	7 mm

143295 STAINLESS STEEL AISI 316 latch with padlock holder.



LATCH-PADLOCK HOLDER

Technical features

Length	145 mm
Width	32 mm
Hole diameter	5 mm
Thickness	1,2 mm
Pin thickness	7 mm

143300 STAINLESS STEEL AISI 316 latch with padlock holder.



STAINLESS STEEL HINGE

Technical features

Length	51 mm
Width	39 mm
Hole diameter	6,5 mm
Pin thickness	7,33 mm
Thickness	1,5 mm

143330 Folding hinge made of mirror polished **STAINLESS STEEL AISI 316** with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	60 mm
Width	39 mm
Hole diameter	6,5 mm
Thickness	1,85 mm

143336 Folding hinge made of mirror polished **STAINLESS STEEL AISI 316** with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	67 mm
Width	48 mm
Thickness	2 mm
Pin thickness	9 mm

143338 STAINLESS STEEL AISI 316 oval shaped hinge with raised barrel.



STAINLESS STEEL HINGE

STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143341	70	40	4,5	2	5
143342	75	40	4,5	1,5	4
143343	100	40	4,5	2	5



STAINLESS STEEL FLUSH MOUNT HINGE

Technical features

Length	76 mm
Width	40 mm
Hole diameter	4,5 mm
Thickness	2 mm
Pin thickness	5 mm

143345 STAINLESS STEEL AISI 316 mirror polished flush mount hinge with reverse barrel.






STAINLESS STEEL HINGE

Technical features

Length	68 mm
Width	40 mm
Hole diameter	4,5 mm
Thickness	2 mm
Pin thickness	5 mm

143348 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	70 mm
Width	39 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9,75 mm

143350 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	75 mm
Width	40 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	7 mm

143645 STAINLESS STEEL AISI 316 mirror polished hinge.




STAINLESS STEEL HINGE

Technical features

Length	70 mm
Width	40 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9 mm

143353 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	129 mm
Width	40 mm
Hole diameter	4,5 mm
Thickness	2 mm
Pin thickness	5 mm

143355 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	95 mm
Width	43 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9,50 mm

143357 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.

143358



143359



STAINLESS STEEL HINGE

STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143358	107	40	4,5	2	5
143359	100	40	4,5	2	5

STAINLESS STEEL HINGE

Technical features

Length	138 mm
Width	45,5 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9,70 mm

143360 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.



STAINLESS STEEL HINGE

Technical features

Length	178 mm
Width	43 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9,20 mm

143365 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.




STAINLESS STEEL HINGE

Technical features

Length	77 mm
Width	43 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9,8 mm

143370 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.




STAINLESS STEEL HINGE

Technical features

Length	110 mm
Width	45 mm
Hole diameter	5,5 mm
Thickness	2,5 mm
Pin thickness	9,8 mm

143400 STAINLESS STEEL mirror polished trapezoidal shaped hinge.




STAINLESS STEEL HINGE

Technical features

Length	65 mm
Width	45 mm
Hole diameter	5 mm
Thickness	1,5 mm
Pin thickness	6,5 mm


143405 STAINLESS STEEL mirror polished biscuit hinge.



STAINLESS STEEL HINGE

STAINLESS STEEL mirror polished folding hinge.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143530	60	30	4,5	1,5	6,5
143540	60	40	4,8	1,5	6,5
143550	60	50	4,8	1,5	6,5




STAINLESS STEEL HINGE

Technical features

Length	150 mm
Width	50 mm
Hole diameter	4,2 mm

143575 STAINLESS STEEL AISI 316 mirror polished hinge.




STAINLESS STEEL HINGE
Technical features

Length	90 mm
Width	30 mm
Thickness	2 mm
Pin thickness	9 mm

143589 STAINLESS STEEL AISI 316 hinge with raised barrel.


STAINLESS STEEL HINGE
Technical features

Length	100 mm
Width	40 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9 mm

143590 STAINLESS STEEL AISI 316 mirror polished hinge with raised barrel.


STAINLESS STEEL HINGE
Technical features


Length	110 mm
Width	45 mm
Hole diameter	5,5 mm
Thickness	2,5 mm
Pin thickness	10,5 mm

143600 STAINLESS STEEL mirror polished folding hinge.


STAINLESS STEEL HINGE

STAINLESS STEEL folding mirror polished hinge.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143620	38	38	4,8	4	8,5
143621	50	50	4,8	5	9


STAINLESS STEEL HINGE

STAINLESS STEEL mirror polished hinges.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143625	56	38	4,8	4	9,8
143626	76	38	4,8	4,5	9,8


STAINLESS STEEL HINGE

STAINLESS STEEL mirror polished hinge.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143630	76	38	4,8	4	9,8
143631	102	38	4,8	4,8	9,8


STAINLESS STEEL HINGE
Technical features

Length	100 mm
Width	25 mm
Hole diameter	4,8 mm
Thickness	4,5 mm
Pin thickness	9,5 mm

143635 STAINLESS STEEL AISI 316 mirror polished hinge.

STAINLESS STEEL HINGE

Technical features

Length	155 mm
Width	26 mm
Hole diameter	5 mm
Thickness	3,4 mm
Pin thickness	6,5 mm

143637 STAINLESS STEEL AISI 316 mirror polished hinge.



STAINLESS STEEL HINGE

STAINLESS STEEL mirror polished hinges.

	Length mm	Width mm	Ø holes mm	Thickness mm	Pin thickness mm
143640	53	37,5	5	3,5	7
143641	69,5	37,5	5	3,5	7



STAINLESS STEEL HINGE

Technical features

Length opened	47,5 mm
Length closed	33,3 mm
Width	44 mm
Hole diameter	5 mm
Thickness	2,90 mm
Pin thickness	7,70 mm

143643 STAINLESS STEEL AISI 316 polished embossed hinge.




STAINLESS STEEL FLUSH MOUNT HINGE

Technical Features

Length	100 mm
Width	36 mm
Hole diameter	5 mm
Thickness	4 mm
Pin thickness	8 mm

143648 STAINLESS STEEL flush mount hinge, smooth.
Opening 180°.



STAINLESS STEEL FLUSH MOUNT HINGE

Technical Features

Length	100 mm
Width	36 mm
Hole diameter	4,5 mm
Thickness	4 mm
Pin thickness	8 mm

143650 STAINLESS STEEL flush mount hinge, pierced.
Opening 180°.



STAINLESS STEEL FLUSH MOUNT HINGE

Technical features

Length	80 mm
Width	30 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	8,50 mm

143651 STAINLESS STEEL AISI 316 flush mount polished hinge with reverse barrel.



HINGE IN STAINLESS STEEL WITH SCREW COVER

Technical features

Length	35,7 mm
Width	40 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9 mm

143670 STAINLESS STEEL AISI 316 polished folding hinge with raised barrel and screws cover.






HINGE IN STAINLESS STEEL WITH SCREW COVER

Technical features

Length	57 mm
Width	40 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9 mm

143675 STAINLESS STEEL AISI 316 polished hinge with raised barrel and screw covers.



HINGE IN STAINLESS STEEL WITH SCREW COVER

Technical features

Length	78 mm
Width	40 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9 mm

143678 STAINLESS STEEL AISI 316 polished hinge with raised barrel and screw covers.



HINGE IN STAINLESS STEEL WITH SCREW COVER

Technical features

Length	71 mm
Width	79 mm
Hole diameter	5 mm
Thickness	2 mm
Pin thickness	9 mm

143680 STAINLESS STEEL AISI 316 polished hinge with raised barrel and screw covers.




HINGE IN STAINLESS STEEL WITH SCREW COVER

Technical features

Length	65 mm
Width	65 mm
Thickness	2 mm
Pin thickness	10 mm

143690 STAINLESS STEEL AISI 316 round shaped hinge with raised barrel and screws cover.



STAINLESS STEEL HINGE SOLD PER METER

STAINLESS STEEL mirror polished hinge without holes.
Sold in bars of 2 meters.


	Length cm	Width mm	Thickness mm
143730	200	30	0,8
143740	200	40	0,8
143763	200	30	1,5
143764	200	40	1,5
143765	200	50	1,5



STAINLESS STEEL HINGE WITH HOLES SOLD PER METER

STAINLESS STEEL mirror polished hinge, with holes and countersank.
Sold in bars of 2 meters.

	Length cm	Width mm	Thickness mm	hole Ø mm	Holes distance mm	Centre- to-centre distance mm
143773	200	30	1	3,2	60	16
143774	200	40	1,5	4,3	90	23



STAINLESS STEEL HINGE WITH HOLES SOLD PER METER

STAINLESS STEEL AISI 316L mirror polished hinge, with holes and countersank.
Sold in bars of 2 meters.

	Length cm	Width mm	Thickness mm	hole Ø mm	Holes distance mm	Centre- to-centre distance mm
143783	200	30	1,5	3,5	50	20

CHROMED BRASS HINGES

FOLDING HINGE

Technical features

Length	60 mm
Width	60 mm
Hole diameter	4,8 mm
Thickness	2 mm
Pin thickness	11 mm

145325 Chromed brass hinge.



HINGE

Technical features

Length	95 mm
Width	55 mm
Hole diameter	4,8 mm
Thickness	4 mm
Pin thickness	12 mm

145330 Chromed brass hinge.



HINGE

Technical features

Length	151 mm
Width	30 mm
Hole diameter	4,2 mm
Thickness	4 mm
Pin thickness	10 mm

145335 Chromed brass hinge.



HINGE

Technical features

Length	98 mm
Width	26 mm
Hole diameter	4,2 mm
Thickness	4 mm
Pin thickness	9 mm

145340 Chromed brass hinge.



HINGE

Technical features

Length	34 mm
Width	28 mm

145380 Small hinge for hatches made of chromed brass.



FLUSH MOUNT HINGE

Technical features

Length	60 mm
Width	34 mm
Thickness	10 mm

145382 Chromed brass flush mount hinge.



FLUSH MOUNT HINGE

Technical features

Length	65 mm
Width	39 mm
Thickness	2,70 mm

145388 Chromed brass flush mount hinge, fixing with studs. Opening 180°.





FLUSH MOUNT HINGE

Technical features

Length	65 mm
Width	30 mm
Hole diameter	3,5 mm
Thickness	2 mm
Pin thickness	7,5 mm

145390 Chromed brass flush mount hinge for tables.

NYLON HINGES



HINGE

Technical features

Length	63 mm
Width	40 mm
Hole diameter	4,5 mm
Pin thickness	10 mm
Thickness	4,2 mm

339350 Small hexagonal hinge.




HINGE

Technical features

Length	95 mm
Width	60 mm
Hole diameter	5,5 mm
Pin thickness	11,5 mm
Thickness	4 mm

339351 Large hexagonal hinge.




HINGE

Technical features

Length	80 mm
Width	60 mm
Hole diameter	5,5 mm
Pin thickness	10 mm
Thickness	4 mm

339352 Small embossed hinge.



HINGE

Technical features

Length	100 mm
Width	60 mm
Hole diameter	5,3 mm
Pin thickness	10 mm
Thickness	4 mm

339353 Large embossed hinge.



HINGE

Technical features

Length	100 mm
Width	40 mm
Hole diameter	5,5 mm
Pin thickness	10 mm
Thickness	4 mm

339354 Small oval shaped hinge.



HINGE

Technical features

Length	135 mm
Width	40 mm
Hole diameter	5,5 mm
Pin thickness	10 mm
Thickness	4 mm

339355 Large oval shaped hinge.



HINGE

Technical features

Length	70 mm
Width	40 mm
Hole diameter	5,5 mm
Pin thickness	10 mm
Thickness	4 mm

339356 Round hinge.



HINGE

Technical features

Length	90 mm
Width	40 mm
Hole diameter	5,5 mm
Pin thickness	10 mm
Thickness	4 mm

339357 Small semi-oval shaped hinge.



HINGE

Technical features

Length	100 mm
Width	40 mm
Hole diameter	5,5 mm
Pin thickness	10 mm
Thickness	4 mm

339358 Big semi-oval shaped hinge.



LOCKS WITH KEYS

LATCH

Special cylindrical chromed brass latch, key is removable only when in vertical position. Right and left lock.

	Cylinder length mm	Thread diameter mm
260320	20	20
260325	25	20



LATCH

Special cylindrical chromed brass latch, key is removable only when in vertical position. Right and left lock. Lock with thread, diameter 20 mm.

	Cylinder length mm
260416	15
260420	18
260425	25
260430	30



HOLLOW LOCK

Technical features

Head diameter	20 mm
For thicknesses	10 mm
Lever draft	13 / 35 mm

260478 Chromed brass hollow lock, equipped with watertight protection cap and key. 90° rotation with anti-vibrating internal spring. Double lever included.



SAFETY LOCK

Technical features

Total length (without key)	32,76 mm
Head diameter	21,64 mm
Hole diameter	18,60 mm
For thicknesses	from 2 to 9,35 mm

260480 Safety cylinder latch made of brass and steel with removable key.

